

Cleveland State University

EngagedScholarship@CSU

Undergraduate Research Posters 2016

Undergraduate Research Posters


2016

Correlating Wet-sample Electron Microscopy with Light Scattering Spectroscopy on the Example of Polymeric Microgels

Christian Gunder

Cleveland State University

Follow this and additional works at: https://engagedscholarship.csuohio.edu/u_poster_2016

 Part of the [Life Sciences Commons](#), [Medicine and Health Sciences Commons](#), and the [Physical Sciences and Mathematics Commons](#)

[How does access to this work benefit you? Let us know!](#)

Recommended Citation

Gunder, Christian, "Correlating Wet-sample Electron Microscopy with Light Scattering Spectroscopy on the Example of Polymeric Microgels" (2016). *Undergraduate Research Posters 2016*. 32.

https://engagedscholarship.csuohio.edu/u_poster_2016/32

This Book is brought to you for free and open access by the Undergraduate Research Posters at EngagedScholarship@CSU. It has been accepted for inclusion in Undergraduate Research Posters 2016 by an authorized administrator of EngagedScholarship@CSU. For more information, please contact library.es@csuohio.edu.



Correlating Wet-sample Electron Microscopy with Light Scattering Spectroscopy on the Example of Polymeric Microgels

College of Sciences and Health Professions

Student Researcher: Christian Gunder

Faculty Advisors: Kiril A. Streletzky and Petru Fodor

Abstract

Amphiphilic cellulose-based microgels with a reversible volume-phase transition at around 40.5°C—the low critical solution temperature (LCST)—have been synthesized, characterized, and optimized. After carefully planned synthesis and filtering the samples with a 0.22µm filter microgels were characterized with dynamic light scattering (DLS), yielding reproducible results for the radii of particles around 100-120 nm below the LCST and 60-70 nm above it. Through the use of scanning electron microscopy (SEM), air dried samples and wet samples were also analyzed. Air dried samples were dried for 24 hours until all water was evaporated, ensuring the collapse of microgels as if they were expelling water above the transition. It was discovered that air dried microgels at room temperature had radii of 60-70 nm identical to radii determined from DLS above the LCST. Wet samples were imaged in home-made wet cells that contained in a silicon nitride window and sealed with epoxy glue to examine microgels in natural state of droplets in solution. The wet samples at room temperature revealed microgel radii larger than radii observed via DLS, indicating a need to look further into the SEM wet sample method both below and above the transition.