

Cleveland State University

EngagedScholarship@CSU

---

Undergraduate Research Posters 2017

Undergraduate Research Posters

---

2017

## Phosphorus variations in Lake Erie and its Major Tributaries

Shiying Lu

*Cleveland State University*

Follow this and additional works at: [https://engagedscholarship.csuohio.edu/u\\_poster\\_2017](https://engagedscholarship.csuohio.edu/u_poster_2017)



Part of the [Life Sciences Commons](#)

[How does access to this work benefit you? Let us know!](#)

---

### Recommended Citation

Lu, Shiying, "Phosphorus variations in Lake Erie and its Major Tributaries" (2017). *Undergraduate Research Posters 2017*. 17.

[https://engagedscholarship.csuohio.edu/u\\_poster\\_2017/17](https://engagedscholarship.csuohio.edu/u_poster_2017/17)

This Book is brought to you for free and open access by the Undergraduate Research Posters at EngagedScholarship@CSU. It has been accepted for inclusion in Undergraduate Research Posters 2017 by an authorized administrator of EngagedScholarship@CSU. For more information, please contact [library.es@csuohio.edu](mailto:library.es@csuohio.edu).



## ***A Preliminary Study of Phosphorus Variations in Lake Erie and its Major Tributaries***

College of Sciences and Health Professions

**Student Researchers:** Shiyong Lu and Huawen Li

**Faculty Advisor:** Fasang Yuan

### **Abstract**

As a recurring symptom of eutrophication in Lake Erie, massive blooms of harmful algae pose a threat to safe drinking water supply and recreational water use. Causes of the recent re-eutrophication in the lake include changes in the tributary phosphorus loading and/or increases in the internal nutrient loading potentially mediated by the colonization of zebra and quagga mussels. This study is to investigate the phosphorus variations in different nearshore locations of the lake and its major tributaries for a better understanding of the lake's trophic conditions. A total of 21 water samples were collected from Lake Erie and its major tributaries from Detroit Michigan to Buffalo New York. These samples were filtered and measured on phosphorus before and after digestion to determine the concentrations of soluble reactive phosphorus (SRP) and total dissolved phosphorus (TDP), using an automated discrete analyzer. Our results showed that the average concentrations of SRP and TDP in its major tributaries were significantly greater than those in the lake. The concentrations of SRP and TDP in tributaries were 0.003-0.118 and 0.002-0.112 mg/L, respectively. The concentrations of SRP and TDP in the lake were 0.00-0.01 and 0.003-0.014 mg/L, respectively.